

CAD/CAM MATERIAL. ALL FROM ONE SOURCE.



SIRONA.COM

The Dental Company

sirona.

PRACTICAL EXPERIENCE. HARD TO BEAT.

CEREC and inLab milling units from Sirona guarantee the economic and precise production of clinically sound and aesthetically high-end prosthetics for practice and laboratory. Our users benefit from an ever-increasing variety of materials.

All-ceramic restorations fabricated on Sirona's CAD/CAM systems have been proven millions of times in the past 30 years. Non-precious metal restorations also enjoy growing popularity. Sirona

places great emphasis on manufacturing quality and high precision in developing materials. All CAD/CAM materials are ideally suited for CEREC and inLab components.

WE TAKE QUALITY SERIOUSLY.

SIRONA BEST QUALITY LABEL GUARANTEE

- High-performance materials meeting high milling precision requirements
- Individual milling parameters for each material
- Complete compatibility with CEREC and inLab milling units
- Materials are optimized with the milling process to ensure high-quality restorations

Each inCoris package contains Best Quality Label stickers for the dental technician to label the high quality premium products used. A seal of quality for both patients and dentists.



SUPERSPEED AUTHORIZED

- Materials with this label are approved for the speed and Superspeed functions of inFire HTC speed
- inCoris ZI, inCoris TZI and inCoris TZI C are approved for speed sintering
- inCoris ZI and inCoris TZI are approved for Superspeed sintering
- CE and FDA approved



CONTENTS

04	CEREC Blocs C
04	CEREC Blocs C PC
04	CEREC Blocs C In
06	inCoris ZI (zirconium oxide)
06	inCoris TZI (translucent zirconium oxide)
08	inCoris TZI C (pre-shaded translucent zirconium oxide)
09	inFire HTC speed
11	inCoris CC (sinter metal)
12	Sirona TiBase (custom abutments)
12	inCoris ZI meso (individual zirconium oxide abutments)
12	ScanPost (intraoral implant impressions)
14	CEREC Stone BC
14	inCoris Model
16	CEREC Optispray
16	APOLLO DI SpeedSpray
17	New 2015



CEREC MC



CEREC MC XL Premium Package



CEREC MC X



inLab MC XL



inLab MC X5

CEREC Blocs

CEREC Blocs C

Ceramic – for inlays, onlays, veneers and crowns

CEREC Blocs guarantee excellent color integration with the restoration residual tooth substance. They demonstrate a clinical survival rate of 90% after 10 years*.

- Abrasion properties similar to enamel
- High translucency with chameleon effect
- Very easy to polish (and thereby ideal as the fastest chairside alternative)
- Classical colors A1C-D3C + Bleach 2C



FABRICATION	CEREC 3, CEREC MC, CEREC MC X, CEREC MC XL, CEREC MC XL Premium Package, inLab, inLab MC XL, inLab MC X5
INDICATIONS	Optimized for inlays, onlays, veneers and crowns

CEREC Blocs C PC

Polychromatic material for natural looking anterior and posterior crowns

Three different layers based on varying degrees of color saturation or chroma allow an optimal alignment to characteristic restoration color gradients relating to translucency and intensity.

- Natural enamel, dentin, cervix layers
- Virtual bloc orientation in CEREC and inLab software
- Interesting alternative to ceramic faced crowns
- Classical colors A1C-A3,5C



FABRICATION	CEREC 3, CEREC MC, CEREC MC X, CEREC MC XL, CEREC MC XL Premium Package, inLab, inLab MC XL, inLab MC X5
INDICATIONS	Optimized for inlays, onlays, veneers, posterior and anterior crowns

CEREC Blocs C In

Anterior restorations

The blocs consist of a highly chromatic core covered by a translucent layer. The chromatic cores are modeled after the shape of core in natural teeth. The outer shape of the tooth is determined by the design of the tooth.

- All upper and lower jaw anterior teeth are covered with just one core shape due to the special integrated core shape
- Simple and easy to use with CEREC and inLab software
- Additional customization is possible with staining materials

FABRICATION	CEREC 3, CEREC MC, CEREC MC X, CEREC MC XL Premium Package, inLab, inLab MC XL
INDICATIONS	Anterior crowns




PRODUCTS

CEREC Blocs C	REF.
CEREC Blocs C 10 (8 pcs. each)	
CEREC Blocs C 10 Bleach 2C	64 84 542
CEREC Blocs C 10 A1C	64 84 427
CEREC Blocs C 10 A2C	64 84 435
CEREC Blocs C 10 A3C	64 84 443
CEREC Blocs C 10 A3,5C	64 84 450
CEREC Blocs C 10 A4C	64 84 591
CEREC Blocs C 10 B2C	64 84 617
CEREC Blocs C 10 B3C	64 84 625
CEREC Blocs C 10 C2C	64 84 633
CEREC Blocs C 10 C3C	64 84 641
CEREC Blocs C 10 D3C	64 84 658
CEREC Blocs C 12 (8 pcs. each)	
CEREC Blocs C 12 Bleach 2C	64 84 666
CEREC Blocs C 12 A1C	64 84 468
CEREC Blocs C 12 A2C	64 84 476
CEREC Blocs C 12 A3C	64 84 484
CEREC Blocs C 12 A3,5C	64 84 492
CEREC Blocs C 12 A4C	64 84 716
CEREC Blocs C 12 B2C	64 84 724
CEREC Blocs C 12 B3C	64 84 732
CEREC Blocs C 12 C2C	64 84 740
CEREC Blocs C 12 C3C	64 84 757
CEREC Blocs C 12 D3C	64 84 765
CEREC Blocs C 14 (8 pcs. each)	
CEREC Blocs C 14 Bleach 2C	64 84 773
CEREC Blocs C 14 A1C	64 84 500
CEREC Blocs C 14 A2C	64 84 518
CEREC Blocs C 14 A3C	64 84 526
CEREC Blocs C 14 A3,5C	64 84 534
CEREC Blocs C 14 A4C	64 84 781
CEREC Blocs C 14 B2C	64 84 831
CEREC Blocs C 14 B3C	64 84 849
CEREC Blocs C 14 C2C	64 84 856
CEREC Blocs C 14 C3C	64 84 864
CEREC Blocs C 14 D3C	64 84 872

CEREC Blocs C PC	REF.
CEREC Blocs C PC 12 (8 pcs. each)	
CEREC Blocs C PC 12 A1C	64 84 559
CEREC Blocs C PC 12 A2C	64 84 567
CEREC Blocs C PC 12 A3C	64 84 575
CEREC Blocs C PC 12 A3,5C	64 84 583
CEREC Blocs C PC 14 (8 pcs. each)	
CEREC Blocs C PC 14 A1C	64 84 674
CEREC Blocs C PC 14 A2C	64 84 682
CEREC Blocs C PC 14 A3C	64 84 690
CEREC Blocs C PC 14 A3,5C	64 84 708
CEREC Blocs C PC 14/14 (8 pcs. each)	
CEREC Blocs C PC 14/14 A1C	64 84 799
CEREC Blocs C PC 14/14 A2C	64 84 807
CEREC Blocs C PC 14/14 A3C	64 84 815
CEREC Blocs C PC 14/14 A3,5C	64 84 823

CEREC Blocs C In (4 pcs. each)	REF.
CEREC Blocs C In BL 2 - M	63 99 542
CEREC Blocs C In A1 - M	63 99 559
CEREC Blocs C In A2 - M	63 99 567
CEREC Blocs C In A3 - M	63 99 575
CEREC Blocs C In A3,5 - M	63 99 583
CEREC Blocs C In A4 - M	63 99 591
CEREC Blocs C In B2 - M	63 99 609
CEREC Blocs C In B3 - M	63 99 617
CEREC Blocs C In C2 - M	63 99 625
CEREC Blocs C In C3 - M	63 99 633
CEREC Blocs C In D3 - M	63 99 641
CEREC Blocs Shade Guide C	64 84 948
CEREC Blocs Sample Package C	64 84 906



* Source: Reiss B, Eighteen-Year Clinical Study in a Dental Practice. In Mormann WH [ed.] State of the Art of CAD/CAM Restorations, 20 Years of CEREC, Berlin: Quintessence, 2006: 57–64

inCoris

inCoris ZI

Zirconium oxide sinter ceramic for frameworks

inCoris ZI in a partially sintered state is used to produce crown copings and bridge frameworks with up to two pontics in the posterior or anterior regions. The frameworks are milled with enlarged proportions. After sintering they acquire the desired characteristics (precise dimensions, density, strength, shade).

- High-performance ceramics for large-span and filigree frameworks
- Outstanding fracture strength and longevity
- Exceptional processing quality and biocompatibility
- Approved for both the speed and superspeed sintering functions of inFire HTC speed



FABRICATION	CEREC 3, CEREC MC XL, CEREC MC XL Premium Package, inLab, inLab MC XL
INDICATIONS	Anterior and posterior copings and bridges, telescopes, bars and attachments

inCoris TZI

Translucent zirconium oxide sinter ceramic – without veneering

inCoris TZI allows inLab users to produce anatomical crowns and bridges with up to nine units. Due to its high translucency, inCoris TZI requires no veneering and offers an inexpensive and more esthetic alternative to partially and non-veneered metal restorations.

- Ideal for critical situations where there is limited space to the antagonist
- No chipping
- Approved for both the speed and superspeed sintering functions of inFire HTC speed
- inCoris TZI Coloring Liquid for customized coloring of restorations
- After coloring the restoration can be customized using conventional staining materials and final glazing



FABRICATION	CEREC 3, CEREC MC, CEREC MC X, CEREC MC XL, CEREC MC XL Premium Package, inLab, inLab MC XL
INDICATIONS	Anatomical posterior and anterior crowns and bridges possible, telescopes, bars and attachments

PRODUCTS

inCoris Intro Kit	REF.
inCoris Intro Kit (15 pcs.)	61 50 762

inCoris ZI	REF.
inCoris ZI mono S (14/13) (3 pcs. each)	
inCoris ZI mono S F0.5	62 30 481
inCoris ZI mono S F1	62 30 523
inCoris ZI mono S F2	62 30 655
inCoris ZI mono S F3	62 30 689
inCoris ZI mono L (20/19) (3 pcs. each)	
inCoris ZI mono L F0.5	62 35 431
inCoris ZI mono L F1	62 35 449
inCoris ZI mono L F2	62 35 456
inCoris ZI mono L F3	62 35 464
inCoris ZI 40/15 (3 pcs. each)	
inCoris ZI 40/15 F0.5	61 35 532
inCoris ZI 40/15 F1	61 35 474
inCoris ZI 40/15 F2	61 35 441
inCoris ZI 40/15 F3	61 35 425
inCoris ZI 40/19 (3 pcs. each)	
inCoris ZI 40/19 F0,5	61 35 912
inCoris ZI 40/19 F1	61 35 888
inCoris ZI 40/19 F2	61 35 847
inCoris ZI 40/19 F3	61 35 813
inCoris ZI 55/19 (2 pcs. each)	
inCoris ZI 55/19 F0.5	61 73 244
inCoris ZI 55/19 F1	61 73 236
inCoris ZI 55/19 F2	61 73 251
inCoris ZI 55/19 F3	61 73 269
inCoris ZI 65/25 (1 pc. each)	
inCoris ZI 65/25 F0.5	61 73 285
inCoris ZI 65/25 F1	61 73 293
inCoris ZI 65/25 F2	61 73 301
inCoris ZI maxi S (65/40) (1 pc. each)	
inCoris ZI maxi S F0,5	62 40 738
inCoris ZI maxi S F1	62 40 746
InCoris ZI maxi S F2	62 40 753
inCoris ZI maxi L (85/40) (1 pc. each)	
inCoris ZI maxi L F0,5	62 40 787
inCoris ZI maxi L F1	62 40 795
inCoris ZI maxi L F2	62 40 852

inCoris TZI blocks and accessories	REF.
inCoris TZI blocks / color F0	
inCoris TZI mono L (3 pcs.)	63 39 431
inCoris TZI 40/19 (3 pcs.)	63 39 464
inCoris TZI 55/19 (2 pcs.)	63 39 498
inCoris TZI Coloring Liquid single bottle 150 ml	
inCoris TZI Coloring Liquid A1	63 39 522
inCoris TZI Coloring Liquid A2	63 39 548
inCoris TZI Coloring Liquid A3	63 39 563
inCoris TZI Coloring Liquid A3.5	63 39 746
inCoris TZI Coloring Liquid A4	63 39 829
inCoris TZI Coloring Liquid B1	63 39 589
inCoris TZI Coloring Liquid B2	63 39 605
inCoris TZI Coloring Liquid B3	63 39 621
inCoris TZI Coloring Liquid B4	63 39 647
inCoris TZI Coloring Liquid C1	63 39 662
inCoris TZI Coloring Liquid C2	63 39 688
inCoris TZI Coloring Liquid C3	63 39 704
inCoris TZI Coloring Liquid C4	63 39 720
inCoris TZI Coloring Liquid D2	63 39 761
inCoris TZI Coloring Liquid D3	63 39 787
inCoris TZI Coloring Liquid D4	63 39 803
inCoris TZI Coloring Liquid starter kit	
Contents: 16 bottles 150 ml of inCoris TZI Coloring Liquid; 16 dipping containers; 1 pair of plastic tweezers	63 39 506
Other accessories for inCoris TZI	
inCoris TZI dipping containers (5 pcs.)	63 39 845
inCoris TZI plastic tweezers (5 pcs.)	63 39 837

inCoris

inCoris TZI C

Pre-shaded translucent zirconium oxide sinter ceramic

Save time by using pre-shaded ceramic blocks as restorations no longer need to be dipped in coloring liquid and subsequently dried.

- Accurate colors using pre-shaded blocks (10 classic shades)
- Ideal for critical situations where there is limited space to the antagonist
- No chipping
- Sinter with inFire HTC speed
 - inFire HTC speed (standard sinter program)
 - inFire HTC speed (speed)
 - Classic sintering in all other sinter furnaces
- Can be finalized using conventional staining and glazing materials

FABRICATION	CEREC 3, CEREC MC, CEREC MC X, CEREC MC XL, CEREC MC XL Premium Premium, inLab, inLab MC XL
INDICATIONS	Anatomical posterior and anterior crowns, telescopes, bars and attachments



PRODUCTS

inCoris TZI C blocks	REF.
inCoris TZI C mono 20x19x15,5 (3 pcs. each)	
inCoris TZI C mono L A1	64 80 763
inCoris TZI C mono L A2	64 80 771
inCoris TZI C mono L A3	64 80 789
inCoris TZI C mono L A3,5	64 80 797
inCoris TZI C mono L A4	64 80 805
inCoris TZI C mono L B2	64 80 813
inCoris TZI C mono L B3	64 80 821
inCoris TZI C mono L C2	64 80 839
inCoris TZI C mono L C3	64 80 847
inCoris TZI C mono L D3	64 80 854

inCoris TZI C medi 40x19x15,5 (3 pcs. each)	
inCoris TZI C medi S A1	64 80 862
inCoris TZI C medi S A2	64 80 888
inCoris TZI C medi S A3	64 80 896
inCoris TZI C medi S A3,5	64 80 904
inCoris TZI C medi S A4	64 80 912
inCoris TZI C medi S B2	64 80 920
inCoris TZI C medi S B3	64 80 938
inCoris TZI C medi S C2	64 80 946
inCoris TZI C medi S C3	64 80 953
inCoris TZI C medi S D3	64 80 961
inCoris TZI C maxi 65x40x22 (1 pc. each)	
inCoris TZI C maxi M A1	64 80 979
inCoris TZI C maxi M A2	64 80 987
inCoris TZI C maxi M A3	64 80 995

inFire HTC speed. THE FASTEST EVER SINTER FURNACE

The high-temperature furnace is suitable for all sintering materials that can be machined using inLab and CEREC units. It features additional speed sintering programs and optionally also enables non-precious metals to be sintered – all in a single furnace chamber.



inFire HTC speed with Superspeed

- Simple operation:
 - Switch-on – load – select program – start
- Preprogrammed for materials certified by Sirona and approved by material partners: SIRONA inCoris ZI and inCoris TZI, SIRONA inCoris AL, VITA In-Ceram YZ, VITA In-Ceram AL, IVOCLAR VIVADENT IPS e.max Zir CAD
- Free programming for materials from other manufacturers
- Saves both time and money due to shorter heating and cooling-down times, increased energy efficiency with shorter sintering time: Just 60 minutes* for fast sintering of zirconium oxide restorations (bridges with up to 9 units); single crowns and crown copings in only 10 minutes*; possible to produce a veneered multilayer bridge within one day
- Time function for “overnight sintering” e.g. maximum load of two sinter trays on top of one another for the classic sintering process within 7 hours

2-in-1: inFire HTC speed with Superspeed + Metal

For additional sintering of presintered non-precious metals in an inert gas atmosphere, inFire HTC speed is fitted with a gas management system for argon.

- Preprogrammed for all sintering materials certified by Sirona and for inCoris CC from Sirona
- A special sinter cover is included in the package
- Changing between sintering zirconium oxide and NPM is easy and fast

Both furnace versions offer pre-drying and speed sintering in a single process. In addition, customized pre-drying can also be programmed. The enhanced heating elements provide rapid heating and homogeneous heat distribution as well as demonstrating a long service life.

PRODUCTS

inFire HTC speed with Superspeed function	REF.
inFire HTC speed (EU) comprising: <ul style="list-style-type: none">– High-temperature sintering furnace inFire HTC speed– Speed sintering crucible, crucible rack, crucible fork– Sintering beads– Connecting cable– inFire Superspeed crucible, crucible fork, crucible rack	64 01 447
Technical specifications: Dimensions (W x H x D) [cm] 500 x 802 x 565 Furnace chamber diameter 130 mm Furnace chamber height 80 mm Weight 80 kg Power supply 200V - 240V Mains frequency 50/60 Hz Nominal power 2500 W Maximum sintering temperature 1650°C	

inFire HTC speed with Superspeed and Metal sintering function	REF.
inFire HTC speed with Superspeed and Metal (EU) The inFire HTC speed with Superspeed and Metal corresponds to the inFire HTC speed with Superspeed and an additionally integrated gas management module as well as a specially developed sinter cover for the non-precious metal sintering function.	64 16 205

Upgrade kits	REF.
Upgrade kit + Superspeed For subsequent installation in the inFire HTC speed without Superspeed	64 01 421
Upgrade kit + Metal For subsequent installation in the inFire HTC speed without an existing internal gas management module. Prerequisite: inFire HTC speed with Superspeed or inFire HTC speed with upgrade kit + Superspeed	64 13 715

Both upgrade kits can be installed in the inFire HTC speed furnace version as of serial number 2000.



inFire HTC speed with Superspeed sinters inCoris ZI and inCoris TZI in record time.



The inFire HTC speed (version: Superspeed + Metal) can be prepared for sintering non-precious metals in just a few seconds.




Special cover system for non-precious metal sintering in an inert gas atmosphere.

inCoris CC

Sinter metal for non-precious metal restorations

The majority of all restorations produced around the world are still made of non-precious metal. inCoris CC is a sinter metal based on a CoCr alloy that, similar to the zirconium oxide process, is initially milled with enlarged proportions and then densely sintered in the furnace (inFire HTC speed with Superspeed + Metal) in an argon atmosphere.

- Easy, clean and fast
- High quality
- For bridges with up to 4 units



PRODUCTS

inCoris CC	REF.
inCoris CC mono 16 x 14 x 19 [10 pcs.]	63 39 555
inCoris CC medi 40 x 15 x 19 [5 pcs.]	63 39 571
inCoris CC maxi S 65 x 17 x 40 [1 pc.]	63 39 597
inCoris CC maxi L 85 x 22 x 40 [1 pc.]	63 39 613

IMPLANTOLOGY

Sirona TiBase

For individual abutments

TiBase is a titanium base from Sirona which is available for a variety of implant systems and diameters and comes in a set with an abutment screw and matching scanbody. The TiBase allows an economic workflow for the in-house production of individual abutments.

- Precise digital scan of the implant position with the scanbody extraorally on a model with inEos X5 or inEos Blue or intraorally on a ScanPost with Bluecam or Omnicam
- Abutment design with inLab or CEREC software
- Production of the meso structure or abutment crown from a meso block
- Bond the TiBase with the sintered meso structure or abutment crown
- Single abutment screw available

inCoris ZI meso

Customized zirconium oxide abutments

The proven CAD/CAM production of customized zirconium oxide abutments with inLab provides the basis for meeting the demand for tooth-colored, all-ceramic prostheses mounted on implants.

- Zirconium oxide blocks with a ready-made screw channel
- Rotation security for optimal abutment union
- Two sizes and colors
- Bond the mesostructure to the titanium base (TiBase) after sintering
- Time-saving compared to centralized production

FABRICATION	CEREC MC X, CEREC MC XL, CEREC MC XL Premium Package, inLab MC XL
INDICATIONS	Sintered mesostructure for abutments
















ScanPost

For comfortable intraoral implant impressions

Depending on the implant system, the ideal Sirona ScanPost (post and fixation screw) and corresponding scanbody (grey for Omnicam or white for Bluecam)* are available for intraoral digital impressions of the implant site. A TiBase with the corresponding name extension is used for the definitive restoration.

* For intraoral impressions with APOLLO DI both scanbodies are suitable.



Implant Manufacturer/System			TiBase ¹⁾		Abutment Screw ²⁾		ScanPost ³⁾			
	Implant diameter	Platform		REF		REF		REF	Size	
Biomet 3i (External hex connection)	3.4		3.4	TiBase B 0 3.4 L	62 82 557	Abutment Screw B 0 3.4, 4.1, 5.0	64 60 468	ScanPost B 0 3.4 L	64 31 089	L
	4.1		4.1	TiBase B 0 4.1 L	62 82 565			ScanPost B 0 4.1 L	64 31 105	L
	5		5.0	TiBase B 0 5.0 L	62 82 573			ScanPost B 0 5.0 L	64 31 113	L
Biomet 3i Certain® (External Connection)	3.4		3.4	TiBase B C 3.4 S	63 08 048	Abutment Screw B C 3.4, 4.1, 5.0	64 60 450	ScanPost B C 3.4 S	64 31 212	S
	4.1		4.1	TiBase B C 4.1 L	63 08 097			ScanPost B C 4.1 L	64 31 220	L
	5		5.0	TiBase B C 5.0 L	63 08 121			ScanPost B C 5.0 L	64 31 238	L
Dentsply Implants Astra Tech OsseoSpeed TX	3.5 S / 4.0 S		3.5 / 4.0	TiBase AT OS 3.5/4.0 L	62 82 532	Abutment Screw AT OS 3.5/4.0	64 60 344	ScanPost AT OS 3.5/4.0 L	64 31 055	L
	4.5 / 5.0 / 5.0 S		4.5 / 5.0	TiBase AT OS 4.5/5.0 L	62 82 540	Abutment Screw AT OS 4.5/5.0	64 60 443	ScanPost AT OS 4.5/5.0 L	64 31 063	L
Dentsply Implants Frialit / Xive	3.4		3.4	TiBase FX 3.4 S	62 82 433	Abutment Screw FX 3.4, 3.8, 4.5, 5.5	64 60 476	ScanPost FX 3.4 S	64 30 891	S
	3.8		3.8	TiBase FX 3.8 S	62 82 441			ScanPost FX 3.8 S	64 30 909	S
	4.5		4.5	TiBase FX 4.5 L	62 82 458			ScanPost FX 4.5 L	64 30 917	L
	5		5,5	TiBase FX 5.5 L	62 82 466			ScanPost FX 5.5 L	64 30 925	L
Nobel Biocare Replace (tri-channel internal connection)	3.5		NP	TiBase NB RS 3.5 L	62 82 474	Abutment Screw NB RS 3.5	64 60 526	ScanPost NB RS 3.5 L	64 30 933	L
	4.3		RP	TiBase NB RS 4.3 L	62 82 482	Abutment Screw NB RS 4.3, 5.0, 6.0	64 60 534	ScanPost NB RS 4.3 L	64 30 941	L
	5		WP	TiBase NB RS 5.0 L	62 82 490			ScanPost NB RS 5.0 L	64 30 958	L
	6		6.0	TiBase NB RS 6.0 L	62 82 508			ScanPost NB RS 6.0 L	64 30 982	L
Nobel Biocare Nobel Active (internal conical connection)	3.5		NP	TiBase NB A 4.5 L	63 08 188	Abutment Screw NB A 4.5	64 60 484	ScanPost NB A 4.5 L	64 31 279	L
	4.3 / 5.0		RP	TiBase NB A 5.0 L	63 08 253	Abutment Screw NB A 5.0	64 60 492	ScanPost NB A 5.0 L	64 31 287	L
Nobel Biocare Branemark® (External hex connection)	3.3		NP	TiBase NB B 3.4 L	62 82 516	Abutment Screw NB B 3.4	64 60 500	ScanPost NB B 3.4 L	64 31 006	L
	3.75 / 4.0		RP	TiBase NB B 4.1 L	62 82 524	Abutment Screw NB B 4.1	64 60 518	ScanPost NB B 4.1 L	64 31 022	L
Straumann Standard (Tissue Level)	3.3		NN (3.5 mm)	TiBase SSO 3.5 L	62 84 231	Abutment Screw SSO 3.5	64 60 559	ScanPost SSO 3.5 L	64 31 162	L
	3.3 / 4.1 / 4.8		RN (4.8 mm)	TiBase SSO 4.8 L	62 84 249	Abutment Screw SSO 4.8, 6.5	64 60 567	ScanPost SSO 4.8 L	64 31 170	L
	4.8		WN (6.5 mm)	TiBase SSO 6.5 L	62 84 256			ScanPost SSO 6.5 L	64 31 196	L
Straumann Bone Level	3.3		NC (3.3 mm)	TiBase S BL 3.3 L	63 08 154	Abutment Screw S BL 3.3, 4.1	64 60 542	ScanPost S BL 3.3 L	64 31 246	L
	4.1 / 4.8		RC (4.1 / 4.8 mm)	TiBase S BL 4.1 L	63 08 337			ScanPost S BL 4.1 L	64 31 253	L
Zimmer Tapered Screw-Vent	3.7 / 4.1		3.5	TiBase Z TSV 3.5 L	62 82 581	Abutment Screw Z TSV 3.5, 4.5, 5.7	64 60 575	ScanPost Z TSV 3.5 L	64 31 139	L
	4.7		4.5	TiBase Z TSV 4.5 L	62 82 599			ScanPost Z TSV 4.5 L	64 31 147	L
	6		5.7	TiBase Z TSV 5.7 L	62 82 607			ScanPost Z TSV 5.7 L	64 31 154	L
Medentika M-Implant	3.5 / 4.0 / 4.5 / 5.0		3.5 / 5.0	TiBase MI 3.5 / 5.0 L	63 08 295	not available				

THE FOLLOWING COMPONENTS ARE AVAILABLE DEPENDING ON CONNECTION:

SIZE	Scanbodies for Omnicam		Scanbodies for Bluecam		inCoris ZI meso F0.5		inCoris ZI meso F2	
	REF		REF		REF		REF	
S	64 31 311		64 31 295		62 31 802		62 31 828	
L	64 31 329		64 31 303		62 31 810		62 31 836	

¹⁾ 1x titanium base, 1x abutment screw, 1x scanbody for Bluecam, ²⁾ 2x abutment screws, ³⁾ 1x ScanPost, 1x abutment screw

ACCESSORIES

CEREC Stone BC

A highlight set in stone

In combination with the inEos Blue scanner or CEREC Bluecam, the scannable super hard stone material (type IV) CEREC Stone BC guarantees outstanding precision when scanning models.

- Exclusively developed for use with CEREC Bluecam
- Optimized optical properties such as brightness and contrast
- Powder-free use



CEREC Stone BC



CEREC Stone BC

inCoris Model

Polyurethane model blocks

A physical working model can be produced using a production center or your own milling unit. inCoris Model blocks are made of a polyurethane polymer which means the models can be milled. The blocks can only be processed using the designated tools (Shaper 25 and Finisher 10).

- Ideal for models up to a quadrant and single tooth restorations in the posterior region
- More durable and resistant to abrasion than plaster models
- Already segmented. Each prepared stump is a segment
- Pinned to the base plate. Similar to common model systems
- Manufacturing with MC XL*, MC XL Premium Package and inLab MC XL



* In conjunction with starter kit Model Milling.

PRODUCTS

	REF.
CEREC Stone BC	
CEREC Stone BC (2 x 1.200g)	62 37 510
CEREC Stone BC (20 x 100g)	62 37 502

	REF.
inCoris Model	
inCoris Model S (50 pcs.)	62 99 361
inCoris Model L (50 pcs.)	62 99 379

	REF.
inCoris Model additional accessories	
Full jaw model holder (3 pcs.)	62 57 195
Single jaw model holder (3 pcs.)	62 57 203
Adapter plate 6 pcs. (for articulator)	62 99 411
Part jaw model base plate (100 pcs.) incl. 1000 model pins	62 99 429
Full jaw model base plate (100 pcs.) incl. 1000 model pins	62 99 437
Model pins (1000 pcs.)	62 99 445
Setting guide (1 pc.)	62 99 452



CEREC Stone BC Model



inCoris Model



Model holder whole jaw



Model holder partial-jaw



Part jaw model base plate



Full jaw model base plate



Adapter plate for articulator



Setting guide

SCAN SPRAYS

CEREC Optispray

Precision at the touch of a button.

In combination with the CEREC Bluecam, CEREC Optispray speeds up and simplifies the acquisition of digital impressions. At the same time it also delivers unprecedented levels of precision.

- Much easier to use than conventional scanning powder
- Preparation at the touch of a button – quick, simple, precise, hygienic
- The ultrathin, homogeneous coating enhances the imaging performance of CEREC Bluecam especially with regard to the preparation margins
- CEREC Optispray is water-soluble and easy to remove with the SPRAYVIT syringe
- Practical 50 or 200 ml spray cans with special nozzles for uniform dosage



APOLLO DI SpeedSpray

Only for APOLLO DI

This spray supports the flowing acquisition of digital impressions with APOLLO DI scan technology. The fine black and white particles guarantee a high contrast and therefore a precise impression.

- Convenient spray can for homogenous coating
- Simple to use
- Easily removable with water



Accessories	REF.
CEREC Optispray 200 ml 200 ml spray can incl. 3 special nozzles and 1 stabilization tube	63 17 932
CEREC Optispray 50 ml 50 ml spray can incl. 1 special nozzle and stabilization tube	61 44 179
APOLLO DI SpeedSpray 145 ml	64 14 572

COMING SOON FROM SIRONA*

Sirona disks for processing with inLab MC X5
(standard disks with a diameter of 98.5 mm)

inCoris CCB

(CoCr sinter metall)

6 heights: 10mm, 12mm, 14mm, 16mm, 18mm, 20mm



inCoris PMMA


height: 20mm
4 colors: A1, A2, A3, A3.5



inCoris PMMA guide

for surgical guides

height: 20mm



inCoris ZI

zirconium oxide sintering ceramic for copings, bridge frameworks and meso structures

3 heights: 10mm, 14mm, 20mm
3 colors: F0, F1, F2



inCoris TZI

Translucent zirconium oxide sintering ceramic for crowns and bridges

3 heights: 13mm, 16mm, 20mm

inCoris TZI C

Translucent pre-shaded zirconium oxide sintering ceramic for crowns and bridges

3 heights: 13mm, 16mm, 22mm
4 colors: A1, A2, A3, A3.5

CEREC Guide Bloc

for surgical guides

CEREC Guide Blocs medi for CEREC MC X (l x w x h mm) 55x40x22
CEREC Guide Blocs maxi for CEREC MC XL Premium Package and inLab MC XL (l x w x h mm) 85x40x22



* Anticipated to be available from summer 2015

ALWAYS AT THE FOREFRONT OF INNOVATION!

As global innovation leader for dental equipment, we continuously invest in research and thus in the future of modern dentistry. By networking digital technologies with integrated solutions and optimizing the treatment workflow, we create improved treatment results, more comfort and safety for the patient as well as time and cost savings in everyday work. The combination of constant innovative power and globally growing sales and service structures makes Sirona the global market leader trusted by thousands of practices and labs around the world. **Enjoy every day. With Sirona.**

Subject to technical changes and errors in the text, Order No. A91100-M43-B883-01-7500, Printed in Germany, Dispo-No. 04605, OEWS 15 WS 02/15.V0



CAD/CAM systems

From pioneer to new standard. For almost 30 years we have been developing digital dentistry and creating new possibilities for the future practice and lab.



Imaging systems

Best image quality with the lowest dose. More than 100 years of developing x-rays for the dental practice make us the number 1 innovation partner.



Treatment centers

The business card of modern practices. We are striving to create the ideal ergonomic and innovative center. Individually tailored to the well-being and demands of the patient and dentist.



Instruments

Advantages that speak for themselves. We make sure that we provide the right balance of proven quality, individual ergonomics and innovative technology for user-friendly work.



Hygiene systems

Competence that gives you safety. When it comes to hygiene in the practice, we do not take any shortcuts.

The Dental Company

sirona.